



Gramin Krishi Mausam Sewa
India Meteorological Department
Orissa University of Agriculture and Technology
Bhubaneswar -751 003

Dr. A. Baliarsingh
Nodal Officer

No.
Dt-14.12.2018

WEATHER PREDICTION-

Deep Depression

As on 14.12.2018

The deep depression over southeast Bay of Bengal remained practically stationary and lay centered at 1130 hrs IST of today, the 14th December 2018 over southeast Bay of Bengal near Latitude 8.5°N and Longitude 87.4°E, about 670 km east of Trincomalee (Sri Lanka), 930 km east-southeast of Chennai (Tamilnadu) and 1090 km southeast of Machlipatnam (Andhra Pradesh). It is very likely to intensify further into a Cyclonic Storm during next 24 hours and into a Severe Cyclonic Storm in subsequent 36 hours. It is very likely to move north-northwestwards and cross Andhra Pradesh coast between Ongole and Kakinada during 17th December afternoon.

Effect of Deep Depression on Odisha

15 Dec. 2018- Cloudy sky

16 Dec. 2018 - Light rainfall mostly in south, coastal and central Odisha with almost cloudy sky

17 Dec. 2018- Low to medium rainfall in South-west, west, north-west and north Odisha with heavy rainfall at isolated patches and light rainfall in south-coast with cloudy sky

18 Dec. 2018- light rainfall in most parts of Odisha with cloudy sky

AGROMET ADVISORY

- Drain out excess water from nurserybed of summer paddy and vegetables.
- Harvest the matured crop before rain and bring the harvested produce to a safer place. Never leave the harvested crop in the field.
- Cover the vegetable nursery with white polythene to avoid adverse effect of rain.
- Make provision for drainage of rain water from the main field.
- Drain out water from the Potato and Onion field. If not planted wait up to rain stops for transplanting.
- Harvest the cauliflower and cabbage if heads are ready for marketing to avoid discolouration and splitting, respectively and to avoid rotting, spray 1.5 g Streptocyclcine in 10 litre water.
- To avoid fruit rot in brinjal, spray 1.5 g Streptocyclcine +3 g Copper Oxychloride in 10 litre water.
- Due to rain, the chilli may be affected by Thrips. To control it spray 0.3 g Metacid or 2 ml Feniproximate or 1 ml Abamectin or 1 ml Spiromesifen per liter water.
- To avoid adverse effect of rain, pluck the flowers. After plucking keep the flowers in a cool place.

Nodal Officer